

THEORETICAL AND APPLIED GENETICS

**International Journal
of Plant Breeding Research**

Volume 94 · 1997

MANAGING EDITOR

G. Wenzel, Freising

EDITORIAL BOARD

L. Alföldi, Szeged
H. C. Becker, Göttingen
J. S. Beckmann, Paris
B. S. Gill, Manhattan, KS
Yu. Gleba, Princeton, NJ
K. Glimelius, Uppsala
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
M. Koornneef, HA Wageningen

H. F. Linskens, Heidelberg
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
F. Salamini, Köln-Vogelsang
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki



Springer

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- Genetic and physiological fundamentals of plant breeding
- Applications of plant biotechnology
- Theoretical considerations in combination with experimental data

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to svjps@springer.de

Typesetting
Macmillan India Ltd.

Typesetting

Macmillan India Ltd.

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1997
Springer-Verlag GmbH & Co. KG,
Berlin, Germany
Printed in Germany



Springer

Table of contents

Volume 94, 1997

No. 1, pp. 1–150	published in January 1997
No. 2, pp. 151–298	published in February 1997
No. 3–4, pp. 299–548	published in March 1997
No. 5, pp. 549–706	published in April 1997
No. 6–7, pp. 707–956	published in May 1997
No. 8, pp. 957–1128	published in June 1997

- Abbo S → Segal G
 AbouHaidar MG → Hefferon KL
 Adler FR → Chase K
 Akagi H, Yokozeki Y, Inagaki A, Fujimura T: Highly polymorphic microsatellites of rice consist of AT repeats, and a classification of closely related cultivars with these microsatellite loci 61
 Allainguillaume J, Wilkinson MJ, Clulow SA, Barr SNR: Evidence that genes from the male parent may influence the morphology of potato dihaploids 241
 Alston FH → Roche P
 Alström-Rapaport C, Lascoux M, Gullberg U: Sex determination and sex ratio in the dioecious shrub *Salix viminalis* L. 493
 Alvernaz J → Mian MAR
 Anderson JA → Faris JD
 André P → Fourré J-L
 Angenon G → Dillen W
 Annicchiarico P: Additive main effects and multiplicative interaction (AMMI) analysis of genotype-location interaction in variety trials repeated over years 1072
 Anuratha CS → Lakshmi M
 Arens P → Smulders MJM
 Arihara A → Hämäläinen JH
 Aron Y → van Oss H
 Arthur AE → Fray MJ
 Ashley DA → Mian MAR
 Asins MJ → Mestre PF
 Atanassov A → Vlahova M
 Atkinson RG → Yan G
 Ayres NM, McClung AM, Larkin PD, Bligh HFJ, Jones CA, Park WD: Microsatellites and a single-nucleotide polymorphism differentiate apparent amylose classes in an extended pedigree of US rice germ plasm 773
 Aziz N → Iqbal MJ
 Balconi C → Cavallini A
 Balfourier F → Charmet G
 Ban T → Konishi T
 Baril CP, Verhaegen D, Vigneron Ph, Bouvet JM, Kremer A: Structure of the specific combining ability between two species of *Eucalyptus*. II. A clustering approach and a multiplicative model 804
 Baril CP, Verhaegen D, Vigneron Ph, Kremer A: Structure of the specific combining ability between two species of *Eucalyptus*. I. RAPD data 796
 Barker SJ → Kretschmer JM
 Barr AR → Kretschmer JM
 Barr SNR → Allainguillaume J
 Barret P → Chèvre AM
 Bassett H → Guilford P
 Baulcombe DC → Brigneti G
 Becker D → Brettschneider R
 Becker D → Pedersen C
 Bedő Z → Karsai I
 Ben Amer IM, Korzun V, Worland AJ, Börner A: Genetic mapping of QTL controlling tissue-culture response on chromosome 2B of wheat (*Triticum aestivum* L.) in relation to major genes and RFLP markers 1047
 Bennett MD → Parokony AS
 Berger P → Fourré J-L
 Bernard M → Cadalen T
 Bernard S → Cadalen T
 Bernardo R, Murigneux A, Maisonneuve JP, Johnsson C, Karaman Z: RFLP-based estimates of parental contribution to F₂- and BC₁-derived maize inbreds 652
 Bervillé A → Besnard G
 Besnard G, Griveau Y, Quillet MC, Serieys H, Lambert P, Vares D, Bervillé A: Specifying the introgressed regions from *H. argophyllus* in cultivated sunflower (*Helianthus annuus* L.) to mark Phomopsis resistance genes 131
 Bharaj TS → Zhang G
 Birkes D → Hui Liu B
 Bjørnstad Å, Demissie A, Kilian A, Kleinhofs A: The distinctness and diversity of Ethiopian barleys 514
 Blaas J → Rutgers E
 Bligh HFJ → Ayres NM
 Bligh HFJ → Harrington SE
 Boerma HR → Mian MAR
 Boeuf C → Cadalen T
 Bonnin I → Jenczewski E
 Bonnin I, Prosperi JM, Olivieri I: Comparison of quantitative genetic parameters between two natural populations of a selfing plant species, *Medicago truncatula* Gaertn. 641
 Börner A → Ben Amer IM
 Börner T → Lorenz M
 Bouet A → Dufour P
 Bouvet JM → Baril CP
 Brace J → Chèvre AM
 Branlard G → Metakovsky EV
 Bredemeijer G → Smulders MJM
 Brettschneider R, Becker D, Lörz H: Efficient transformation of scutellar tissue of immature maize embryos 737
 Brian Power J → Parokony AS
 Brigneti G, Garcia-Mas J, Baulcombe DC: Molecular mapping of the potato virus Y resistance gene *Ry^{sto}* in potato 198
 Briquet M → Scheepers D
 Brown AHD → Garvin DF
 Brown LM → Roche P
 Browse J → Lightner J
 Bryan GJ, Collins AJ, Stephenson P, Orry A, Smith JB, Gale MD: Isolation and characterisation of microsatellites from hexaploid bread wheat 557
 Budahn H → Peterka H
 Burdon JJ → Garvin DF
 Byrne M, Murrell JC, Owen JV, Kriedemann P, Williams ER, Moran GF: Identification and mode of action of quantitative trait loci affecting seedling height and leaf area in *Eucalyptus nitens* 674
 Byrum JR, Kinney AJ, Stecca KL, Grace DJ, Diers BW: Alteration of the omega-3 fatty acid desaturase gene is associated with reduced linolenic acid in the A5 soybean genotype 356
 Cadalen T, Boeuf C, Bernard S, Bernard M: An intervarietal molecular marker map in *Triticum aestivum* L. Em. Thell. and comparison with a map from a wide cross 367
 Calvo ES, Wurtle ES, Shoemaker RC: Cloning, mapping, and analyses of expression of the *Em*-like gene family in soybean [*Glycine max* (L.) Merr.] 957
 Cambron S → Dweikat I
 Candelas FG → Phippen WB
 Caranta C, Palloix A, Lefebvre V, Daubèze AM: QTLs for a component of partial resistance to cucumber mosaic virus in pepper: restriction of virus installation in host-cells 431
 Carbonell EA → Mestre PF
 Cardi T, Earle ED: Production of new CMS *Brassica oleracea* by transfer of 'Anand' cytoplasm from *B. rapa* through protoplast fusion 204
 Casado D → Delibes A
 Casper R → Zheng HH
 Castagna R, Gnocchi S, Perenzin M, Heun M: Genetic variability of the wild diploid

- wheat *Triticum urartu* revealed by RFLP and RAPD markers 424
- Castilho A, Miller TE, Heslop-Harrison JS: Analysis of a set of homoeologous group 1 wheat-*Aegilops umbellulata* recombinant chromosome lines using genetic markers 293
- Cavallini A → Ceccarelli M
- Cavallini A, Natali L, Cionini G, Balconi C, D'Amato F: Inheritance of nuclear DNA content in leaf epidermal cells of *Zea mays* L. 782
- Ceccarelli M, Giordani T, Natali L, Cavallini A, Cionini PG: Genome plasticity during seed germination in *Festuca arundinacea* 309
- Ceoloni C → Cuadrado A
- Chalmers KJ → Kretschmer JM
- Champagne G → Cheung WY
- Charmet G, Ravel C, Balfourier F: Phylogenetic analysis in the *Festuca-Lolium* complex using molecular markers and ITS rDNA 1038
- Charrier A → Lashermes P
- Chase K, Adler FR, Lark KG: Epistat: a computer program for identifying and testing interactions between pairs of quantitative trait loci 724
- Chen BY, Cheng BF, Jørgensen RB, Heneen WK: Production and cytogenetics of *Brassica campestris-alboglabra* chromosome addition lines 633
- Chen CC → Suen DF
- Chen MY → Zheng HH
- Chen Y → Lu C
- Chen ZL → Zheng HH
- Cheng BF → Chen BY
- Chernakov VM → Metakovsky EV
- Cheung WY, Champagne G, Hubert N, Landry BS: Comparison of the genetic maps of *Brassica napus* and *Brassica oleracea* 569
- Cheung WY, Friesen L, Rakow GFW, Séguin-Swartz G, Landry BS: A RFLP-based linkage map of mustard [*Brassica juncea* (L.) Czern. and Coss.] 841
- Chèvre AM, Eber F, Barret P, Dupuy P, Brace J: Identification of the different *Brassica nigra* chromosomes from both sets of *B. oleracea*-*B. nigra* and *B. napus*-*B. nigra* addition lines with a special emphasis on chromosome transmission and self-incompatibility 603
- Chevreau E, Leuliette S, Gallet M: Inheritance and linkage of isozyme loci in pear (*Pyrus communis* L.) 498
- Choe YW → Kretschmer JM
- Choo TM → Jui PY
- Chou H-P → Lin B-Y
- Ciaffi M, Dominici L, Lafiandra D: Gliadin polymorphism in wild and cultivated Einkorn wheats 68
- Cionini G → Cavallini A
- Cionini PG → Ceccarelli M
- Cipriani G → Testolin R
- Claeys M → Vlahova M
- Clulow SA → Allainguillaume J
- Cocking EC → Parokony AS
- Collins AJ → Bryan GJ
- Combes MC → Lashermes P
- Cordonnier-Pratt M-M → van Tuinen A
- Coupland G → Fray MJ
- Courtois B → Yadav R
- Cuadrado A, Vitellozzi F, Jouve N, Ceoloni C: Fluorescence in situ hybridization with multiple repeated DNA probes applied to the analysis of wheat-rye chromosome pairing 347
- D'Amato F → Cavallini A
- Daubèze AM → Caranta C
- Davey MR → Parokony AS
- Davis TM → Haymes KM
- De Bock TSM → Scholten OE
- De Clercq J → Dillen W
- de Haan AA, Mateman AC, Van Dijk PJ, Van Damme JMM: New CMS types in *Plantago lanceolata* and their relatedness 539
- De Jeu MJ, Lasschuit J, Kuipers AGJ, Kamstra SA, Visser RGF: Characterization and localization of repetitive DNA sequences in the ornamental *Alstroemeria aurea* Graham 982
- De Jong H → Tai GCC
- de Souza AP → Lanza LLB
- de Souza Jr. CL → Lanza LLB
- De Toledo JFF → Pooni HS
- Degani C → Mhameed S
- Del Moral J → Delibes A
- Delibes A, Del Moral J, Martin-Sanchez JA, Mejias A, Gallego M, Casado D, Sin E, López-Braña I: Hessian fly-resistance gene transferred from chromosome 4M^y of *Aegilops ventricosa* to *Triticum aestivum* 858
- Demissie A → Bjørnstad Å
- Deu M → Dufour P
- D'Hont A → Dufour P
- Diers BW → Byrum JR
- Dijkhuis P → Rutgers E
- Dillen W, De Clercq J, Goossens A, Van Montagu M, Angenon G: *Agrobacterium*-mediated transformation of *Phaseolus acutifolius* A. Gray 151
- Dimitrova A → Gecheff KI
- do Valle CB → Pessino SC
- Doležel J → Kubaláková M
- Dominici L → Ciaffi M
- Dufour P, Deu M, Grivet L, D'Hont A, Paulet F, Bouet A, Lanaud C, Glaszmann JC, Hamon P: Construction of a composite sorghum genome map and comparison with sugarcane, a related complex polyploid 409
- Dumas C → Ruffio-Châble V
- Dunemann F → Roche P
- Dupuy P → Chèvre AM
- Dweikat I → Hu XY
- Dweikat I, Ohm H, Patterson F, Cambron S: Identification of RAPD markers for 11 Hessian fly resistance genes in wheat 419
- Earle ED → Cardi T
- Earle ED → Hansen LN
- Earle ED → Sigareva MA
- Eber F → Chèvre AM
- Echt CS, Nelson CD: Linkage mapping and genome length in eastern white pine (*Pinus strobus* L.) 1031
- Edmeades GO → Ribaut JM
- El-Kassaby YA → Stoehr MU
- El Maataoui M → Pichot C
- Eloy M-C → Scheepers D
- Eriksson G → McKeand SE
- Esselink DG → Scholten OE
- Eubanks MW: Molecular analysis of crosses between *Tripsacum dactyloides* and *Zea diploperennis* (Poaceae) 707
- Evans C → Pessino SC
- Evans EJ → Fray MJ
- Evans KM → Roche P
- Expert JM, Jacquard P, Obaton M, Lüscher A: Neighbourhood effect of genotypes of *Rhizobium leguminosarum* biovar *trifolii*, *Trifolium repens* and *Lolium perenne* 486
- Faris JD, Anderson JA, Franc L, Jordahl JG: RFLP mapping of resistance to chlorosis induction by *Pyrenophora tritici-repentis* in wheat 98
- Feldman M → Segal G
- Ferguson AR → Yan G
- Fladung M → Ziegenhagen B
- Forster R → Guilford P
- Fortin MG → Montesclaros L
- Fourré J-L, Berger P, Niquet L, André P: Somatic embryogenesis and somaclonal variation in Norway spruce: morphogenetic, cytogenetic and molecular approaches 159
- Fowler JCS → Kijas JMH
- Franc L → Faris JD
- Frascaria-Lacoste N → Mariette S
- Fray MJ, Puangsomlee P, Goodrich J, Coupland G, Evans EJ, Arthur AE, Lydiate DJ: The genetics of stamenoid petal production in oilseed rape (*Brassica napus*) and equivalent variation in *Arabidopsis thaliana* 731
- Friedt W → Ordon F
- Friesen L → Cheung WY
- Frijters ACJ, Zhang Z, van Damme M, Wang G-L, Ronald PC, Michelmore RW: Construction of a bacterial artificial chromosome library containing large *EcoRI* and *HindIII* genomic fragments of lettuce 390
- Frulleux F → Vlahova M
- Fuchs J → Schuster M
- Fujimura T → Akagi H
- Gale MD → Bryan GJ
- Gallego M → Delibes A
- Gallet M → Chevreau E
- Ganivet L → Montesclaros L
- Gao M-W → Xie J-H
- Garcia-Mas J → Brigneti G
- Gardiner S → Guilford P
- Garvin DF, Brown AHD, Burdon JJ: Inheritance and chromosome locations of scald-resistance genes derived from Iranian and Turkish wild barleys 1086
- Gaude T → Ruffio-Châble V

- Gecheff KI, Mirkova V, Dimitrova A, Georgiev S, Stoilov LM: Intrachromosomal mapping of chromatid aberrations induced by restriction endonucleases in barley 919
- Georgiev S → Gecheff KI
- Gherardi M → Jenczewski E
- Giddings GD, Sackville Hamilton NR, Hayward MD: The release of genetically modified grasses. Part 1: pollen dispersal to traps in *Lolium perenne* 1000
- Giddings GD, Sackville Hamilton NR, Hayward MD: The release of genetically modified grasses. Part 2: the influence of wind direction on pollen dispersal 1007
- Giordani T → Ceccarelli M
- Glaszmann JC → Dufour P
- Gnocchi S → Castagna R
- Gonzalez-de-Leon D → Ribaut JM
- Goodrich J → Fray MJ
- Goossens A → Dillen W
- Grace DJ → Byrum JR
- Griveau Y → Besnard G
- Grivet L → Dufour P
- Guilford P, Prakash S, Zhu JM, Rikkerink E, Gardiner S, Bassett H, Forster R: Microsatellites in *Malus X domestica* (apple): abundance, polymorphism and cultivar identification 249
- Gullberg U → Alström-Rapaport C
- Günther T → Harsch S
- Günther T → Radić H
- Haley CS → Knott SA
- Hämäläinen JH, Watanabe KN, Valkonen JPT, Arihara A, Plaisted RL, Pehu E, Miller L, Slack SA: Mapping and marker-assisted selection for a gene for extreme resistance to potato virus Y 192
- Hamon P → Dufour P
- Hampton JG → Hussain SW
- Hansen LN, Earle ED: Somatic hybrids between *Brassica oleracea* L. and *Sinapis alba* L. with resistance to *Alternaria brassicae* (Berk.) Sacc. 1078
- Harrington SE, Bligh HFJ, Park WD, Jones CA, McCouch SR: Linkage mapping of starch branching enzyme III in rice (*Oryza sativa* L.) and prediction of location of orthologous genes in other grasses 564
- Harsch S, Günther T, Kling ChI, Rozynek B, Hesemann CU: Characterization of spelt (*Triticum spelta* L.) forms by gel electrophoretic analyses of seed storage proteins. I. The gliadins 52
- Hayasaka H → Monna L
- Hayes PM → Karsai I
- Haymes KM, Henken B, Davis TM, van de Weg WE: Identification of RAPD markers linked to a *Phytophthora fragariae* resistance gene (*Rpf1*) in the cultivated strawberry 1097
- Hayward MD → Giddings GD
- Hayward MD → Pessino SC
- He P → Lu C
- Hefferon KL, Khalilian H, AbouHaidar MG: Expression of the PVY^O coat protein (CP) under the control of the PVX CP gene leader sequence: protection under greenhouse and field conditions against PVY^O and PVY^N infection in three potato cultivars 287
- Heinz E → Scheffler JA
- Helms T, Orf J, Vallad G, McClean P: Genetic variance, coefficient of parentage, and genetic distance of six soybean populations 20
- Hemleben V → Oberwalder B
- Heneen WK → Chen BY
- Henken B → Haymes KM
- Hervé Y → Ruffio-Châble V
- Hesemann CU → Harsch S
- Hesemann CU → Radić H
- Heslop-Harrison JS → Castilho A
- Heslop-Harrison JS → Schwarzacher T
- Heun M → Castagna R
- Hillel J → Mhameed S
- Hinnisdaels S → Vlahova M
- Ho KM → Jui PY
- Hoisington DA → Ribaut JM
- Holloway JL → Slabaugh MB
- Hongtrakul V → Slabaugh MB
- Hoogendoorn J → Janssen GJW
- Hu XY, Ohm HW, Dweikat I: Identification of RAPD markers linked to the gene *PM1* for resistance to powdery mildew in wheat 832
- Huang N → Maheswaran M
- Huang N → Yadav R
- Huang N → Zhang G
- Hubert N → Cheung WY
- Huestis GM → Slabaugh MB
- Huguet T → Jenczewski E
- Hui Liu B, Knapp SJ, Birkes D: Sampling distributions, biases, variances, and confidence intervals for genetic correlations 8
- Hussain SW, Williams WM, Woodfield DR, Hampton JG: Development of a ploidy series from a single interspecific *Trifolium repens* L. × *T. nigrescens* Viv. F₁ hybrid 821
- Iida S, Kusaba M, Nishio T: Mutants lacking glutelin subunits in rice: mapping and combination of mutated glutelin genes 177
- Iida Y → Konishi T
- Inagaki A → Akagi H
- Iqbal MJ, Aziz N, Saeed NA, Zafar Y, Malik KA: Genetic diversity evaluation of some elite cotton varieties by RAPD analysis 139
- Islam AKMR → Kretschmer JM
- Itoh K → Yamagishi M
- Iwamoto M → Monna L
- Jacobs M → Vlahova M
- Jacquard P → Expert JM
- Jähne-Gärtner A → Pedersen C
- James D → Lightner J
- Janssen GJW, Norel A v, Janssen R, Hoogendoorn J: Dominant and additive resistance to the root-knot nematodes *Meloidogyne chitwoodi* and *M. fallax* in Central American *Solanum* species 692
- Janssen R → Janssen GJW
- Jenczewski E, Gherardi M, Bonnin I, Prosperi JM, Olivieri I, Huguet T: Insight on segregation distortions in two intraspecific crosses between annual species of *Medicago* (Leguminosae) 682
- Jeong SC, Liston A, Myrold DD: Molecular phylogeny of the genus *Ceanothus* (Rhamnaceae) using *rbcL* and *ndhF* sequences 852
- Jiang C → Ribaut JM
- Johnsson C → Bernardo R
- Jones CA → Ayres NM
- Jones CA → Harrington SE
- Jongorius MC → Voorrips RE
- Jordahl JG → Faris JD
- Jørgensen RB → Chen BY
- Jouve N → Cuadrado A
- Jui PY, Choo TM, Ho KM, Konishi T, Martin RA: Genetic analysis of a two-row × six-row cross of barley using doubled-haploid lines 549
- Kameya T → Kisaka H
- Kamstra SA → De Jeu MJ
- Kanne HJ → Voorrips RE
- Kanno A → Kisaka H
- Kao YY → Suen DF
- Karakousis A → Kretschmer JM
- Karaman Z → Bernardo R
- Karsai I, Mészáros K, Hayes PM, Bedö Z: Effects of loci on chromosomes 2 (2H) and 7 (5H) on developmental patterns in barley (*Hordeum vulgare* L.) under different photoperiod regimes 612
- Kaufman D → Mhameed S
- Khalilian H → Hefferon KL
- Kijas JMH, Thomas MR, Fowler JCS, Roose ML: Integration of trinucleotide microsatellites into a linkage map of *Citrus* 701
- Kik C, Samoylov AM, Verbeek WHJ, van Raamsdonk LWD: Mitochondrial DNA variation and crossability of leek (*Allium porrum*) and its wild relatives from the *Allium ampeloprasum* complex 465
- Kilian A → Bjørnstad Å
- Kim HS, Ward RW: Genetic diversity in Eastern U.S. soft winter wheat (*Triticum aestivum* L. em. Thell.) based on RFLPs and coefficients of parentage 472
- King GJ → Roche P
- Kinney AJ → Byrum JR
- Kisaka H, Kisaka M, Kanno A, Kameya T: Production and analysis of plants that are somatic hybrids of barley (*Hordeum vulgare* L.) and carrot (*Daucus carota* L.) 221
- Kisaka M → Kisaka H
- Klein-Lankhorst RM → Scholten OE
- Kleinhofs A → Bjørnstad Å
- Kling ChI → Harsch S
- Kling ChI → Radić H
- Knapp SJ → Hui Liu B
- Knapp SJ → Slabaugh MB
- Knott SA, Neale DB, Sewell MM, Haley CS: Multiple marker mapping of quantitative trait loci in an outbred pedigree of loblolly pine 810

- Koba T → Yamagishi M
 Komatsuda T → Taguchi-Shiobara F
 Konishi T, Ban T, Iida Y, Yoshimi R:
 Genetic analysis of disease resistance to
 all strains of BaYMV in a Chinese barley
 landrace, Mokusekko 3 871
 Konishi T → Jui PY
 Koornneef M → van Tuinen A
 Korol A → Krugman T
 Korzun V → Ben Amer IM
 Kremer A → Baril CP
 Krens FA → Rutgers E
 Kresovich S → Phippen WB
 Kretschmer JM, Chalmers KJ, Manning S,
 Karakousis A, Barr AR, Islam AKMR,
 Logue SJ, Choe YW, Barker SJ, Lance
 RCM, Langridge P: RFLP mapping of
 the *Ha2* cereal cyst nematode resistance
 gene in barley 1060
 Kriedemann P → Byrne M
 Krugman T, Levy O, Snape JW, Rubin B,
 Korol A, Nevo E: Comparative RFLP
 mapping of the chloroturon resistance
 gene (*Su1*) in cultivated wheat (*Triticum
 aestivum*) and wild wheat (*Triticum
 dicoccoides*) 46
 Kubaláková M, Macas J, Doležal J: Map-
 ping of repeated DNA sequences in plant
 chromosomes by PRINS and C-PRINS
 758
 Kuipers AGJ → De Jeu MJ
 Kurata N → Monna L
 Kusaba M → Iida S

 Ladizinsky G → van Oss H
 Lafiandra D → Ciaffi M
 Lafiandra D, Tucci GF, Pavoni A, Turchet-
 ta T, Margiotta B: PCR analysis of x-
 and y-type genes present at the complex
Glu-A1 locus in durum and bread
 wheat 235
 Lahav E → Mhameed S
 Lakshmi M, Rajalakshmi S, Parani M,
 Anuratha CS, Parida A: Molecular phy-
 logeny of mangroves I. Use of molecular
 markers in assessing the intraspecific
 genetic variability in the mangrove spe-
 cies *Acanthus ilicifolius* Linn. (Acantha-
 ceae) 1121
 Laliberté JF → Montesclaros L
 Lambert P → Besnard G
 Lanaud C → Dufour P
 Lance RCM → Kretschmer JM
 Landry BS → Cheung WY
 Lange W → Scholten OE
 Langridge P → Kretschmer JM
 Lannou C, Mundt CC: Evolution of a
 pathogen population in host mixtures:
 rate of emergence of complex races
 991
 Lanza LLB, de Souza Jr. CL, Ottoboni
 LMM, Vieira MLC, de Souza AP:
 Genetic distance of inbred lines and pre-
 diction of maize single-cross perfor-
 mance using RAPD markers 1023
 Lark E → Lightner J
 Lark KG → Chase K
 Larkin PD → Ayres NM
 Lascoux M → Alström-Rapaport C
 Lashermes P, Combes MC, Trouslot P,
 Charrier A: Phylogenetic relationships of
 tree species (*Coffea* L.) as inferred from
 ITS sequences of nuclear ribosomal
 DNA 947
 Lasschuit J → De Jeu MJ
 Lavi U → Mhameed S
 Leblanc O → Pessino SC
 Leclerc-Potvin C → Montesclaros L
 Lee FM → Suen DF
 Lefebvre V → Caranta C
 Lefranc M → Mariette S
 Legrand P → Mariette S
 Leitch AR → Schwarzhacher T
 Leonard J → Slabaugh MB
 Leuliette S → Chevreau E
 Levy O → Krugman T
 Li W → Zheng HH
 Li Y → Zheng HH
 Lightner J, Lark E, James D, Browse J:
 Novel mutations affecting leaf stearate
 content and plant size in *Arabidopsis*
 975
 Lin B-Y, Chou H-P: Physical mapping of
 four RAPDs in the B chromosome of
 maize 534
 Lin H-X → Xie J-H
 Lin RF → Suen DF
 Liston A → Jeong SC
 Liu B → Segal G
 Logue SJ → Kretschmer JM
 López-Braña I → Delibes A
 Lorenz M, Weihe A, Börner T: Cloning and
 sequencing of RAPD fragments ampli-
 fied from mitochondrial DNA of male-
 sterile and male-fertile cytoplasm of
 sugar beet (*Beta vulgaris* L.) 273
 Lörz H → Brettschneider R
 Lörz H → Pedersen C
 Lu C, Shen L, Tan Z, Xu Y, He P, Chen Y,
 Zhu L: Comparative mapping of QTLs
 for agronomic traits of rice across envi-
 ronments by using a doubled-haploid
 population 145
 Lu J → Xie J-H
 Lu Y → Zhang G
 Lühs W → Scheffler JA
 Lüscher A → Expert JM
 Lydiate DJ → Fray MJ
 Lydiate DJ → Scheffler JA

 Macas J → Kubaláková M
 Machon N → Mariette S
 Maestra B, Naranjo T: Homoeologous rela-
 tionships of *Triticum sharonense* chro-
 mosomes to *T. aestivum* 657
 Maheswaran M, Subudhi PK, Nandi S, Xu
 JC, Parco A, Yang DC, Huang N: Poly-
 morphism, distribution, and segregation
 of AFLP markers in a doubled haploid
 rice population 39
 Maisonneuve JP → Bernardo R
 Maliepaard C → Roche P
 Malik KA → Iqbal MJ
 Manning S → Kretschmer JM
 Margiotta B → Lafiandra D
 Mariette S, Lefranc M, Legrand P, Taney-
 hill D, Frascaria-Lacoste N, Machon N:
 Genetic variability in wild cherry popu-
 lations in France. Effects of colonizing
 processes 904
 Markussen T → Roche P
 Marshall JA → Parokony AS
 Martin RA → Jui PY
 Martin-Sanchez JA → Delibes A
 Martini N → Slabaugh MB
 Mateman AC → de Haan AA
 McClean P → Helms T
 McClung AM → Ayres NM
 McCouch SR → Harrington SE
 McFerson JR → Phippen WB
 McKeand SE, Eriksson G, Roberds JH:
 Genotype by environment interaction for
 index traits that combine growth and
 wood density in loblolly pine 1015
 McLaren G → Yadav R
 McNeillage MA → Yan G
 Mehlenbacher SA: Revised dominance
 hierarchy for S-alleles in *Corylus avella-
 na* L. 360
 Mejias A → Delibes A
 Mestre PF, Asins MJ, Pina JA, Carbonell
 EA, Navarro L: Molecular markers
 flanking citrus tristeza virus resistance
 gene from *Poncirus trifoliata* (L.) Raf.
 458
 Mészáros K → Karsai I
 Metakovsky EV, Branlard G, Chernakov
 VM, Upelniek VP, Redaelli R, Pogna
 NE: Recombination mapping of some
 chromosome 1A-, 1B-, 1D- and 6B-con-
 trolled gliadins and low-molecular-
 weight glutenin subunits in common
 wheat 788
 Mhameed S, Sharon D, Kaufman D, Lahav
 E, Hillel J, Degani C, Lavi U: Genetic
 relationships within avocado (*Persea
 americana* Mill) cultivars and between
Persea species 279
 Mian MAR, Shipe ER, Alvernaz J, Mueller
 JD, Ashley DA, Boerma HR: QTLs asso-
 ciated with chlorimuron ethyl sensitivity
 in soybean: Effects on seed yield and
 related traits 971
 Michelmores RW → Frijters ACJ
 Miller L → Härmäläinen JH
 Miller N → Schwarzhacher T
 Miller TE → Castilho A
 Ming XT → Zheng HH
 Mirkova V → Gecheff KI
 Miyao A → Monna L
 Moharramipour S, Tsumuki H, Sato K,
 Yoshida H: Mapping resistance to cereal
 aphids in barley 592
 Monna L, Miyao A, Zhong HS, Yano M,
 Iwamoto M, Umehara Y, Kurata N, Hay-
 asaka H, Sasaki T: Saturation mapping
 with subclones of YACs: DNA marker
 production targeting the rice blast dis-
 ease resistance gene, *Pi-b* 170
 Montesclaros L, Nicol N, Ubalijoro E,
 Leclerc-Potvin C, Ganivet L, Laliberté
 JF, Fortin MG: Response to potyvirus
 infection and genetic mapping of resis-
 tance loci to potyvirus infection in *Lac-
 tuca* 941
 Moore G → Schwarzhacher T
 Moran GF → Byrne M

- Morishima H → Suh HS
 Mueller JD → Mian MAR
 Mukai Y → Tsumura Y
 Mundt CC → Lannou C
 Murigneux A → Bernardo R
 Murray BG → Yan G
 Murrell JC → Byrne M
 Myrold DD → Jeong SC
- Nagaoka T, Ogihara Y: Applicability of inter-simple sequence repeat polymorphisms in wheat for use as DNA markers in comparison to RFLP and RAPD markers 597
- Nandi S → Maheswaran M
 Naranjo T → Maestra B
 Natali L → Cavallini A
 Natali L → Ceccarelli M
 Navarro L → Mestre PF
 Neale DB → Knott SA
 Nelson CD → Echt CS
 Nevo E → Krugman T
 Nicol N → Montesclaros L
 Ninnemann H → Oberwalder B
 Niquet L → Fourré J-L
 Nishio T → Iida S
 Norel A → Janssen GJW
- Obaton M → Expert JM
 Oberwalder B, Ruoff B, Schilde-Rentschler L, Hemleben V, Ninnemann H: Asymmetric fusion between wild and cultivated species of potato (*Solanum* spp.) – detection of asymmetric hybrids and genome elimination 1104
- Ogihara Y → Nagaoka T
 Ohm H → Dweikat I
 Ohm HW → Hu XY
 Oka S → Taguchi-Shiobara F
 Olivieri I → Bonnin I
 Olivieri I → Jenczewski E
 Omenukor R → Pooni HS
 Ordon F, Schiemann A, Friedt W: Assessment of the genetic relatedness of barley accessions (*Hordeum vulgare* s.l.) resistant to soil-borne mosaic-inducing viruses (BaMMV, BaYMV, BaYMV-2) using RAPDs 325
- Orf J → Helms T
 Orford SJ, Timmis JN: Abundant mRNAs specific to the developing cotton fibre 909
- Orry A → Bryan GJ
 Ortiz JPA → Pessino SC
 Ortiz R: Secondary polyploids, heterosis, and evolutionary crop breeding for further improvement of the plantain and banana (*Musa* spp. L) genome 1113
- Ottoboni LMM → Lanza LLB
 Owen JV → Byrne M
- Palloix A → Caranta C
 Parani M → Lakshmi M
 Parco A → Maheswaran M
 Parida A → Lakshmi M
 Park WD → Ayres NM
 Park WD → Harrington SE
 Parkin IAP → Scheffler JA
- Parokonny AS, Marshall JA, Bennett MD, Cocking EC, Davey MR, Brian Power J: Homeologous pairing and recombination in backcross derivatives of tomato somatic hybrids [*Lycopersicon esculentum* (+) *L. peruvianum*] 713
- Patterson F → Dweikat I
 Paul S, Wachira FN, Powell W, Waugh R: Diversity and genetic differentiation among populations of Indian and Kenyan tea (*Camellia sinensis* (L.) O. Kuntze) revealed by AFLP markers 255
- Paulet F → Dufour P
 Pavoni A → Lafiandra D
 Pedersen C, Zimny J, Becker D, Jähne-Gärtner A, Lörz H: Localization of introduced genes on the chromosomes of transgenic barley, wheat and triticale by fluorescence in situ hybridization 749
- Pehu E → Hämäläinen JH
 Peil A, Schubert V, Schumann E, Weber WE: RAPDs as molecular markers for the detection of *Aegilops markgrafii* chromatin in addition and euploid introgression lines of hexaploid wheat 934
- Perenzin M → Castagna R
 Pessino SC, Ortiz JPA, Leblanc O, do Valle CB, Evans C, Hayward MD: Identification of a maize linkage group related to apomixis in *Brachiaria* 439
- Peterka H, Budahn H, Schrader O: Inter-specific hybrids between onion (*Allium cepa* L.) with S-cytoplasm and leek (*Allium ampeloprasum* L.) 383
- Phippen WB, Kresovich S, Candelas FG, McFerson JR: Molecular characterization can quantify and partition variation among genebank holdings: a case study with phenotypically similar accessions of *Brassica oleracea* var. *capitata* L. (cabbage) 'Golden Acre' 227
- Pichot C, El Maataoui M: Flow cytometric evidence for multiple ploidy levels in the endosperm of some gymnosperm species 865
- Pina JA → Mestre PF
 Plaisted RL → Hämäläinen JH
 Pogna NE → Metakovsky EV
 Pooni HS, Virk PS, De Toledo JFF, Omenukor R: The nature of gene action in a *Nicotiana rustica* cross revealed by the recombinant inbred and second-cycle hybrid analysis 664
- Powell W → Paul S
 Prakash S → Guilford P
 Pratt LH → van Tuinen A
 Prosperi JM → Bonnin I
 Prosperi JM → Jenczewski E
 Puangsomlee P → Fray MJ
- Qian H-R → Xie J-H
 Quillet MC → Besnard G
- Radić H, Günther T, Kling ChI, Hesemann CU: Characterization of spelt (*Triticum spelta* L.) forms by gel-electrophoretic analyses of seed storage proteins. II. The glutenins 882
- Rahman SM, Takagi Y: Inheritance of reduced linolenic acid content in soybean seed oil 299
- Rajalakshmi S → Lakshmi M
 Rakow GFW → Cheung WY
 Ramulu KS → Rutgers E
 Ravel C → Charmet G
 Redaelli R → Metakovsky EV
 Ribaut JM, Jiang C, Gonzalez-de-Leon D, Edmeades GO, Hoisington DA: Identification of quantitative trait loci under drought conditions in tropical maize. 2. Yield components and marker-assisted selection strategies 887
- Rikkerink E → Guilford P
 Robert JH → McKeand SE
 Roche P, Alston FH, Maliapaard C, Evans KM, Vrielink R, Dunemann F, Markussen T, Tartarini S, Brown LM, Ryder C, King GJ: RFLP and RAPD markers linked to the rosy leaf curling aphid resistance gene (*Sd₁*) in apple 528
- Rodova M → Segal G
 Ronald PC → Frijters ACJ
 Roose ML → Kijas JMH
 Rosato C → Slabaugh MB
 Rozynek B → Harsch S
 Rubin B → Krugman T
 Ruffio-Châble V, Hervé Y, Dumas C, Gaude T: Distribution of *S*-haplotypes and its relationship with self-incompatibility in *Brassica oleracea*. Part 1. In inbred lines of cauliflower (*B. oleracea* var. 'botrytis') 338
- Ruoff B → Oberwalder B
 Rus-Kortekaas W → Smulders MJM
 Rutgers E, Ramulu KS, Dijkhuis P, Blaas J, Krens FA, Verhoeven HA: Identification and molecular analysis of transgenic potato chromosomes transferred to tomato through microprotoplast fusion 1053
- Ryder C → Roche P
- Sackville Hamilton NR → Giddings GD
 Saeed NA → Iqbal MJ
 Samoylov AM → Kik C
 Sasaki T → Monna L
 Sato K → Moharramipour S
 Sato YI → Suh HS
 Schaeffer GW, Sharpe FT: Free and bound amino acids and proteins in developing grains of rice with enhanced lysine/proteins 878
- Scheepers D, Eloy M-C, Briquet M: Use of RAPD patterns for clone verification and in studying provenance relationships in Norway spruce (*Picea abies*) 480
- Scheffler JA, Sharpe AG, Schmidt H, Sperling P, Parkin IAP, Lühs W, Lydiate DJ, Heinz E: Desaturase multigene families of *Brassica napus* arose through genome duplication 583
- Schell J → Slabaugh MB
 Schiemann A → Ordon F
 Schilde-Rentschler L → Oberwalder B
 Schilling EE: Phylogenetic analysis of *Helianthus* (Asteraceae) based on chloroplast DNA restriction site data 925
- Schmidt H → Scheffler JA

- Scholten OE, Klein-Lankhorst RM, Esselink DG, De Bock TSM, Lange W: Identification and mapping of random amplified polymorphic DNA (RAPD) markers linked to resistance against beet necrotic yellow vein virus (BNYVV) in *Beta* accessions 123
- Schrader O → Peterka H
- Schubert I → Schuster M
- Schubert V → Peil A
- Schumann E → Peil A
- Schuster M, Fuchs J, Schubert I: Cytogenetics in fruit breeding – localization of ribosomal RNA genes on chromosomes of apple (*Malus × domestica* Borkh.) 322
- Schwarzacher T, Wang ML, Leitch AR, Miller N, Moore G, Heslop-Harrison JS: Flow cytometric analysis of the chromosomes and stability of a wheat cell-culture line 91
- Segal G, Liu B, Vega JM, Abbo S, Rodova M, Feldman M: Identification of a chromosome-specific probe that maps within the *Ph1* deletions in common and durum wheat 968
- Séguin-Swartz G → Cheung WY
- Serieys H → Besnard G
- Sewell MM → Knott SA
- Sharon D → Mhameed S
- Sharpe AG → Scheffler JA
- Sharpe FT → Schaeffer GW
- Shen L → Lu C
- Shimada T → Yamagishi M
- Shimamoto K → Yamagishi M
- Shipe ER → Mian MAR
- Shirato N → Tsumura Y
- Shoemaker RC → Calvo ES
- Sigareva MA, Earle ED: Direct transfer of a cold-tolerant *Ogura* male-sterile cytoplasm into cabbage (*Brassica oleracea* ssp. *capitata*) via protoplast fusion 213
- Sin E → Delibes A
- Singh DP → Verulkar SB
- Slabaugh MB, Huestis GM, Leonard J, Holloway JL, Rosato C, Hongtrakul V, Martini N, Toepfer R, Voetz M, Schell J, Knapp SJ: Sequence-based genetic markers for genes and gene families: single-strand conformational polymorphisms for the fatty acid synthesis genes of *Cuphea* 400
- Slack SA → Hämäläinen JH
- Smith JB → Bryan GJ
- Smulders MJM, Bredemeijer G, Rus-Kortekaas W, Arens P, Vosman B: Use of short microsatellites from database sequences to generate polymorphisms among *Lycopersicon esculentum* cultivars and accessions of other *Lycopersicon* species 264
- Snape JW → Krugman T
- Sperling P → Scheffler JA
- Stecca KL → Byrum JR
- Stephenson P → Bryan GJ
- Stoehr MU, El-Kassaby YA: Levels of genetic diversity at different stages of the domestication cycle of interior spruce in British Columbia 83
- Stoilov LM → Gecheff KI
- Subudhi PK → Maheswaran M
- Suen DF, Wang CK, Lin RF, Kao YY, Lee FM, Chen CC: Assignment of DNA markers to *Nicotiana glauca* chromosomes using monosomic alien addition lines 331
- Suh HS, Sato YI, Morishima H: Genetic characterization of weedy rice (*Oryza sativa* L.) based on morpho-physiology, isozymes and RAPD markers 316
- Sukekiyo Y → Yamagishi M
- Suyama Y → Tsumura Y
- Taguchi-Shiobara F, Komatsuda T, Oka S: Comparison of two indices for evaluating regeneration ability in rice (*Oryza sativa* L.) through a diallel analysis 378
- Tai GCC, De Jong H: A comparison of performance of tetraploid progenies produced by diploid and their vegetatively doubled (tetraploid) counterpart parents 303
- Takagi Y → Rahman SM
- Tan Z → Lu C
- Taneyhill D → Mariette S
- Tartarini S → Roche P
- Testolin R, Cipriani G: Paternal inheritance of chloroplast DNA and maternal inheritance of mitochondrial DNA in the genus *Actinidia* 897
- Thomas MR → Kijas JMH
- Timmis JN → Orford SJ
- Toepfer R → Slabaugh MB
- Trouslot P → Lashermes P
- Tsumuki H → Moharramipour S
- Tsumura Y, Suyama Y, Yoshimura K, Shirato N, Mukai Y: Sequence-tagged-sites (STSs) of cDNA clones in *Cryptomeria japonica* and their evaluation as molecular markers in conifers 764
- Tucci GF → Lafiandra D
- Turchetta T → Lafiandra D
- Ubalijoro E → Montesclaros L
- Umehara Y → Monna L
- Upelniek VP → Metakovsky EV
- Valkonen JPT → Hämäläinen JH
- Vallad G → Helms T
- Van Damme JMM → de Haan AA
- van Damme M → Frijters ACJ
- van de Weg WE: A gene-for-gene model to explain interactions between cultivars of strawberry and races of *Phytophthora fragariae* var. *fragariae* 445
- Van de Weg WE: Resistance to *Phytophthora fragariae* var. *fragariae* in strawberry: the *Rpf2* gene 1092
- van de Weg WE → Haymes KM
- Van Dijk PJ → de Haan AA
- Van Montagu M → Dillen W
- van Oss H, Aron Y, Ladizinsky G: Chloroplast DNA variation and evolution in the genus *Lens* Mill 452
- van Raamsdonk LWD → Kik C
- van Tuinen A, Cordonnier-Pratt M-M, Pratt LH, Verkerk R, Zabel P, Koornneef M: The mapping of phytochrome genes and photomorphogenic mutants of tomato 115
- Vares D → Besnard G
- Vega JM → Segal G
- Verbeek WHJ → Kik C
- Verhaegen D → Baril CP
- Verhoeven HA → Rutgers E
- Verkerk R → van Tuinen A
- Verulkar SB, Singh DP: Inheritance of spontaneous male sterility in pigeonpea 1102
- Vieira MLC → Lanza LLB
- Vigneron Ph → Baril CP
- Virk PS → Pooni HS
- Virmani SS → Zhang G
- Visser RGF → De Jeu MJ
- Vitellozzi F → Cuadrado A
- Vlahova M, Hinnisdals S, Frulleux F, Claeys M, Atanassov A, Jacobs M: UV irradiation as a tool for obtaining asymmetric somatic hybrids between *Nicotiana plumbaginifolia* and *Lycopersicon esculentum* 184
- Voetz M → Slabaugh MB
- Voorrips RE, Jongerius MC, Kanne HJ: Mapping of two genes for resistance to clubroot (*Plasmodiophora brassicae*) in a population of doubled haploid lines of *Brassica oleracea* by means of RFLP and AFLP markers 75
- Vosman B → Smulders MJM
- Vrielink R → Roche P
- Wachira FN → Paul S
- Wang CK → Suen DF
- Wang G-L → Frijters ACJ
- Wang ML → Schwarzacher T
- Ward RW → Kim HS
- Watanabe KN → Hämäläinen JH
- Waugh R → Paul S
- Weber WE → Peil A
- Weihe A → Lorenz M
- Wilkinson MJ → Allainguillaume J
- Williams ER → Byrne M
- Williams WM → Hussain SW
- Woodfield DR → Hussain SW
- Worland AJ → Ben Amer IM
- Wu RL: Genetic control of macro- and micro-environmental sensitivities in *Populus* 104
- Wurtle ES → Calvo ES
- Xie J-H, Lu J, Zhuang J-Y, Lin H-X, Qian H-R, Gao M-W, Zheng K-L: Identifying different types of de-differentiated microspores from *indica-japonica* F₁ hybrids with subspecies-differentiating RFLP probes in rice 34
- Xu JC → Maheswaran M
- Xu Y → Lu C
- Yadav R, Courtois B, Huang N, McLaren G: Mapping genes controlling root morphology and root distribution in a doubled-haploid population of rice 619
- Yamagishi M, Itoh K, Koba T, Sukekiyo Y, Shimamoto K, Shimada T: Characteristics of genetic variation in the progenies

of protoplast-derived plants of rice, <i>Oryza sativa</i> cv Nipponbare 1	Zabel P → van Tuinen A	Zheng K-L → Xie J-H
Yan G, Atkinson RG, Ferguson AR, McNeilage MA, Murray BG: In situ hybridization in <i>Actinidia</i> using repeat DNA and genomic probes 507	Zafar Y → Iqbal MJ	Zhong HS → Monna L
Yang DC → Maheswaran M	Zhang G, Bharaj TS, Lu Y, Virmani SS, Huang N: Mapping of the <i>Rf-3</i> nuclear fertility-restoring gene for WA cytoplas- mic male sterility in rice using RAPD and RFLP markers 27	Zhu JM → Guilford P
Yano M → Monna L	Zhang Z → Frijters ACJ	Zhu L → Lu C
Yokozeiki Y → Akagi H	Zheng HH, Li Y, Yu ZH, Li W, Chen MY, Ming XT, Casper R, Chen ZL: Recovery of transgenic rice plants expressing the rice dwarf virus outer coat protein gene (S8) 522	Zhuang J-Y → Xie J-H
Yoshida H → Moharramipour S		Ziegenhagen B, Fladung M: Variation in the <i>psbC</i> gene region of gymnosperms and angiosperms as detected by a single restriction site polymorphism 1065
Yoshimi R → Konishi T		Zimny J → Pedersen C
Yoshimura K → Tsumura Y		
Yu ZH → Zheng HH		

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

R. Appels (Canberra, Australia)	T. Hayashi (Kawasaki, Japan)	J. S. Parker (Reading, UK)
A. Assani (Grünbach, Germany)	J. H. Hatchett (Manhattan, USA)	G. Penner (Winnipeg, Canada)
G. Backes (Freising, Germany)	C. Hedgcoth (Manhattan, USA)	H. P. Piepho (Witzenhausen, Germany)
B. Baldwin (Berkeley, USA)	N. Huang (Los Banos, Philippines)	N. Pollans (DeKalb, USA)
W. D. Beavis (Johnston, USA)	S. Hulbert (Manhattan, USA)	F. Quétier (Montpellier, France)
M. Bernard (Clermont-Ferrand, France)	R. Hutten (Wageningen, Netherlands)	C. F. Quiros (Davis, USA)
J. A. Bietz (Peoria, USA)	E. Jacobsen (Wageningen, Netherlands)	L.-H. Rieseberg (Bloomington, USA)
G. Brown (Montreal, Canada)	A. Jahoor (Freising, Germany)	M. Röder (College Station, USA)
K. Campbell (Wooster, USA)	J. Jiang (Madison, USA)	J. Rumpfenhorst (Münster, Germany)
W. Carlson (Iowa City, USA)	H. Jorgensen (Copenhagen, Denmark)	J. Schiemann (Braunschweig, Germany)
T. Carter (Raleigh, USA)	G. Kahl (Frankfurt, Germany)	J. Schondelmaier (Kiel, Germany)
K. Chalmers (Glen Osmond, Australia)	G. Kochert (Athens, USA)	I. Schubert (Gatersleben, Germany)
C. D. Chase (University of Florida, USA)	S. Kresovich (Griffin, USA)	K. Shepherd (Glen Osmond, Australia)
P. Cregan (Beltsville, USA)	B. S. Landry (St-Jean-sur-Richelieu, Canada)	R. Shoemaker (Ames, USA)
I. Crute (Bloomington, USA)	S. F. Ledgard (Hamilton, New Zealand)	P. Skroch (Madison, USA)
S. K. Datta (Los Banos, Philippines)	A. Lössl (Freising, Germany)	G. Spangenberg (Bundoorra, Australia)
J. Dudley (Urbana, USA)	J. Mackey (Uppsala, Sweden)	B. Steffenson (Fargo, USA)
N. Faridi (College Station, USA)	S. McCouch (Ithaca, USA)	J. I. Stiles (Honolulu, USA)
S. Fauré (Compestre Belle Eau, France)	D. S. Marshall (Dallas, USA)	C. Stuber (Raleigh, USA)
F. Felsenstein (Freising, Germany)	V. Mohler (Freising, Germany)	R. Töpfer (Siebeldingen, Germany)
M. Frauen (Hohenlieth, Germany)	Y. Mukai (Tsukuba, Japan)	H. van Dijk (Villeneuve d'Asq, France)
U. Frei (Freising, Germany)	J. Mullet (College Station, USA)	R. Wang (Manhattan, USA)
S. Gabay-Laughnan (Urbana, USA)	P. Murphy (Raleigh, USA)	U. Wienand (Hamburg, Germany)
W. C. Galinat (Waltham, USA)	C. Nelson (New York, USA)	H. G. Wilkes (Boston, USA)
K. Gelbhardt (St. Louis, USA)	H. Nguyen (Lubbock, USA)	Y. Yen (Manhattan, USA)
J. Giovannoni (College Station, USA)	W. D. Park (Beaumont, USA)	F. J. Zeller (Freising, Germany)
A. Graner (Grünbach, Germany)		

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.

